JCA SYSTEMS

VMC SPECIFICATION FORM

Fax to :	John Comfort, JCA Systems Ltd	Fax No: +44 (0) 1252 664 557
From :		
Company :		
Address :		
Tel :		
Fax:		
Machine Applic	ation	
Quantities		
Quantities		
When Required		
VMC - General S	pecification	
Number of Col	umns 4	•
	6	•
	10	•
	Other	•
Payment	Coin Med	ch •
-	Changeg	iver •
	Note/Bill	•
	Card	•
	Other	•
Display	None	•
Diopiay	LED	• Digits
	LCD Cha	
Douger Commit	40: 00	_
Power Supply	12v DC	•

JCA SYSTEMS

VMC SPECIFICATION FORM

	24	v AC	•		
	ME	OB	•		
	Ot	her	•		
Column Drive	Solenoid (timed)		•secs		
	Motor (with sv	vitch)	•		
	Other (describ	oe)	•	_	
In Stock	None		•		
Switches	Separate		•		
	With Motor Switch		•		
Coin Poumont	Coin Mech		• Type		
Coin Payment			• Type		
	MDB Changegiver		• Type		
	Exec Changegiver Other		• Type		
	Otnei		• Type		
Note / Bill	Pulsed Interface		• Type		
Payment	MDB Note Reader		• Type		
	Mars serial interface		• Type		
	Other		• Type		
04 - 5			_		
Other Paymen	t		• Type		
Audit	N	one		•	
	V	Vend Totals per Column		•	
	T	Total Vend Value		•	
	T	Total Cash Collected		•	
	T	Total Change Given		•	
	M	Machine Number / ID		•	
	S	Separate Coin & Note Cash Totals		s •	
Audit Access	M	Manual (Display only)		•	
		JCA Smart Card		•	
	R	Remote Comms		•	
	0	Other			



VMC SPECIFICATION FORM

Coin Escrow (Coin Mech only)

Change Hopper

•

Other Requirements e.g. size constraints, connector types, battery powered, drinks functions etc.									

Operating Features

Individual Prices per Column

Selectable Exact Price / Over-pay

Inhibit Payment on ALL out of stock

Programmable Payment Values

Single Vend

Multi Vend

Credit Display

Setup Menus

Selectable Language / Currency